



NISSAN NV400

Innovation
that excites



5 YEAR WARRANTY*
100 000 MILES
ON THE WHOLE
NISSAN LCV RANGE





CREATE THE PERFECT MATCH

UNBEATABLE POTENTIAL. NV400 offers one of the widest ranges in the LCV market. A choice of wheelbase, length and height, payload, engines, Front or Rear Wheel Drive plus body conversions provides all the possibilities you need to create your perfect match.

FRONT OR REAR WHEEL DRIVE

ADAPT YOUR DRIVETRAIN TO YOUR TRADE. Choose FWD for easy loading, more load space and better fuel economy or opt for RWD more secure handling with full loads or when towing.

UP TO 17M³ CARGO VOLUME



FRONT WHEEL DRIVE

- Low loading height
- Optimized cargo volume efficiency
- Best fuel consumption




REAR WHEEL DRIVE

- Even weight distribution front to back
- Medium & heavy duty applications (up to 4.5t Gross Vehicle Weight)
- Twin wheel version available


KEY PERFORMANCE INDICATOR

NV400 CAN HANDLE IT


BENEFIT FROM MAXIMUM LOAD SPACE with 10 available cargo volumes, up to 4.4m in cargo length and payloads up to 1,623kg.




UP TO
4.4M
CARGO LENGTH



UP TO
1,623KG
PAYLOAD



UP TO
17M³
CARGO VOLUME



UP TO
22M³
CARGO VOLUME



BUILT FOR YOUR LINE OF WORK

CHOOSE YOUR BODY TYPE, dimensions, wheelbase and payload capacity best suited to your business.



PANEL



CREW VAN



COMBI




BOX



PLATFORM



CHASSIS



TIPPER



DROPSIDE




HELPFUL TECHNOLOGY

ENJOY AN EASIER DRIVE thanks to Nissan's advanced technology. Useful and simple to operate, it's designed to enhance your experience on the road.

- CLIMATE CONTROL
- CRUISE CONTROL & SPEED LIMITER
- REAR PARKING SENSORS AND CAMERA
- NISSANCONNECT
- AUTO HIGH/LOW BEAM*
- LANE DEPARTURE WARNING*
- FRONT PARKING ASSIST
- ANDROID AUTO AND APPLE CAR PLAY



*Available on Combi



TWIN TURBO ENGINE

POWER & EFFICIENCY. NV400's 2.3L dCi Twin Turbo delivers higher output and - with Start and Stop technology - reduced fuel consumption and lower CO₂ emissions.

LOW COSTS OF OWNERSHIP. Service intervals of up to 40,000km or every 2 years contribute to NV400's low running costs.



NissanConnect



A PLACE FOR EVERYTHING

EASY TO MANAGE. A tidy cab is safer and easier to live with; nothing rolling around your feet, no wasted time hunting for items. That's why NV400 has many clever storage spaces, such as the centre front seat table with rotating tray and pop-up tablet.



1 2





5



4



3

1. ROTATING CENTRE FRONT SEAT TABLE
2. DUAL SPLIT UNDERSEAT STORAGE COMPARTMENT
3. CUP AND CAN HOLDER
4. ASSISTANT DASHBOARD COMPARTMENT
5. POP-UP TABLET

NV400 CAN TAKE IT

MORE USABLE SPACE. Whichever size NV400 you choose, it's packaged to provide maximum load space. There are ten cargo volumes, from 8m³ to 17m³ for NV400 Panel Vans. Cargo volume can take up to 5 Europallets, and there's up to 4.4m cargo length available, giving you room for bulky loads. NV400 handles heavy loads too: up to 1,623kg. No matter how big or awkward your cargo, NV400 makes it easier to get on board, thanks to a low floor and large, wide-opening doors.



**FROM 2.6M
TO 4.4M
CARGO LENGTH**

**FROM 901KG
TO 1,623KG
PAYLOAD**

**FROM 8M³
TO 17M³
CARGO VOLUME**





1

1. ADJUSTABLE SUSPENSION SEAT
2. REMOVABLE SEATS FOR THE
2ND AND 3RD ROWS, COMBI IS
ESPECIALLY VERSATILE.

TO HELP YOUR PASSENGERS
RELAX, THERE ARE SEAT BACKS
THAT RECLINE UP TO 20°
AND INDIVIDUAL VENTILATION.



2





ROOMY AND REFINED

SPACE WITH STYLE. NV400 Combi offers executive standards of comfort and space for up to nine persons. The interior is light and inviting, with more than 65cm legroom, reclining seats for the second and third row and air conditioning. There's also the reassurance of comprehensive safety features, including ABS with EBD, ESP and airbags.



FRONT OR REAR WHEEL DRIVE

BEST FOR YOUR BUSINESS. NV400 gives you the choice of Front or Rear Wheel Drivetrains, across a variety of body styles.

FRONT WHEEL DRIVE

Front Wheel Drive NV400 has a low chassis height, making loading especially easy and liberating more space for improved efficiency. Low kerb weight contributes to better fuel economy too.





REAR WHEEL DRIVE

Rear Wheel Drive is the traditional choice for medium and heavy duty applications. It allows your payload to be evenly distributed front to back, ensuring more secure handling when fully loaded. Available with single or twin rear wheel configurations, NV400 rear wheel drive is ideal for towing up to 3000 Kg.



TWIN TURBO: HIGHER OUTPUT, LOWER CONSUMPTION

MORE POWERFUL, MORE EFFICIENT. The NV400's 2.3 litre dCi Twin Turbo with Start and Stop engine is available in 135HP, 145HP, 150HP, 165HP, 180HP for FWD and in 130HP, 145HP and 165HP for RWD. All delivering outstanding performance with great fuel economy (from 8.9L/62mi on 150HP FWD WLTP).

All engines are EURO 6 compliant featuring a selective catalytic reduction (SCR) system to further reduce emissions.

LOW RUNNING COSTS. Service intervals of up to 25,000 miles or every two years contribute to NV400's impressively low Total Cost of Ownership.


ALWAYS BE IN THE OPTIMUM GEAR. NV400 has a six-speed manual gearbox with a dashboard indicator light showing when to change gear for the best fuel economy. If you want to give your left foot a rest, a robotized transmission is available with the 150HP or 180HP engines.



1



2



3

- 1) 2.3 LITRE DCI TURBODIESEL
- 2) SIX-SPEED MANUAL GEARBOX
- 3) GEAR SHIFT INDICATOR





NISSAN

NV400

COMPREHENSIVE SAFETY FEATURES

ACTIVE AND PASSIVE. NV400 has many active safety features built in to help you stay fully in control. Predictable handling and road holding have been designed in from the outset, and there's the additional support of ABS, EBD Electronic Brake Distribution and Brake Assist. The advanced Electronic Stability Program includes Hill Start Assist, Trailer Swing Assist and Traction Control to ensure the driver is always in control. Tyre Pressure Monitoring System is standard on NV400 Combi versions.

In addition to the strong and rigid cab with steel bulkhead, you're protected by the effective passive safety features of a driver's airbag and optional passenger and side airbags.



Electronic Stability Program helps detect and automatically correct skids by sensitively braking individual wheels. A load detection system compensates for the weight of your cargo.



Anti-lock brakes help you retain steering control in emergency braking.



Driver and passenger airbags





- 1-2. 7 INCH TOUCH SCREEN, COMPLETE MULTIMEDIA SYSTEM WITH NAVIGATION, DIGITAL RADIO (DAB), BLUETOOTH SMARTPHONE INTEGRATION, USB WITH IPOD CONNECTIVITY, APPLE CARPLAY, ANDROID AUTO
- 3. DIGITAL RADIO (DAB) TUNER AND MP3, BLUETOOTH HANDS-FREE TELEPHONE
- 4. USB 2.0 SOCKET
- 5. CLIMATE CONTROL

- 6-7. CRUISE CONTROL AND SPEED LIMITER
- 8. CENTRAL DOOR LOCKING WITH KEYLESS ENTRY
- 9. FRONT FOG LAMPS
- 10. BLIND SPOT MIRROR
- 11. REAR PARKING SENSORS
- 12. AUTOMATIC HEADLIGHTS TURN ON IN LOW LIGHT AND DARKNESS
- 13-14. REAR VIEW CAMERA AND SCREEN






EASIER DRIVING

HELPFUL TECHNOLOGY. Nissan's approach to innovation is to take the most advanced and useful features and make them more accessible to everyone. Our technology is simple to operate, so driving becomes safer and more enjoyable. Optional digital radio improves the sound quality and enhances the listening experience.

androidauto



A PRODUCT APPLE TRADEMARK ©2017



1



2




6



7



3



5

1. LOCKING DIFFERENTIAL
2. DRIVER'S SIDE MESHED BULKHEAD
3. REAR STEP
4. TOWBAR WITH BALL AND SOCKET JOINT
5. POWER TAKE-OFF FROM ENGINE AND GEARBOX
6. FULL STEEL BULKHEAD
7. FULL STEEL BULKHEAD WITH GLAZED PANEL
8. 270° OPENING REAR DOORS



4

ADAPT NV400 TO FIT YOUR WORKING DAY

YOU KNOW WHAT'S BEST FOR YOUR BUSINESS.

That's why we offer a range of practical options for you to tailor NV400 precisely to your needs. Whatever your working day entails, NV400 will be ready for it.



CONVERSION

READY FOR BUSINESS

Thanks to the low and robust chassis, NV400 is the ideal basis for a wide range of conversions. Nissan is always seeking ways to help you drive your business forward, that's why we have developed Business Ready solutions. **NISSAN BRANDED CONVERSIONS** are off-the-shelf bodies designed by Nissan and covered by our 5 year warranty. You can **benefit from best lead times** since you



▲
CREW VAN

▲
TIPPER

CREW VAN


For every team member, it makes business a pleasure: with large window areas and comfortable seats, the NV400 Crew Van delivers up to seven people fresh and ready for work and still gives the opportunity to keep enough space in the cargo area.

PAYLOAD AND DIMENSIONS



	FWD						RWD		
	L1H1		L1H2		L2H2		L3H2	L3H2	
	3.3t	3.5t	3.3t	3.5t	3.3t	3.5t	3.5t	3.5t	
Max. payload (kg)	1207	1398	1208	1400	1124	1324	1230	1176	1047
Max. cargo volume (m ³)	5.0		5.3		6.9		9.0	8.3	8.3
Max. weight on front / rear axle (kg)	1850/1900	1850/2100	1850/1900	1850/2100	1850/1900	1850/2100	1850/2100	1850/2300	2800/3000
Braked /unbraked trailer capacity (kg)	2500 / 750		2500 / 750				2500/750	3000 / 750	

	FWD				RWD	
	L1H1	L1H2	L2H2	L3H2	L3H2 SRT	L3H2 DRT
CARGO AREA (mm)						
Cargo length at 0.4m above floor	1716	1716	2175	2825	2825	2825
Cargo length at 1m above floor	1531	1531	1990	2640	2640	2640
Cargo width	1765	1765	1765	1765	1765	1765
Width between wheelarches	1380	1380	1380	1380	1380	1080
Cargo height	1700	1894	1894	1894	1798	1798
Min. / max. loading sill height	546 / 564	544 / 563	545 / 562	543 / 557	674 / 696	706 / 724
SLIDING DOORS (mm)						
Sliding door width	1050	1050	1270	1270	1270	1270
Sliding door height	1581	1780	1780	1780	1684	1684
REAR DOORS (mm)						
Rear door width at 169mm above floor	1580	1580	1580	1580	1580	1580
Rear door height	1627	1820	1820	1820	1724	1724

FRONT WHEEL DRIVE



REAR WHEEL DRIVE



- FWD: Front wheel driven
- RWD: Rear wheel driven
- SRT: Single Rear Tyres
- DRT: Double Rear Tyres

TIPPER

Built for hard work with no compromise on in-cab comfort, the NV400 Tipper is available with a single cab (2/3 seats), with the option of a secure storage compartment for tools, or a roomy double cab (6/7 seats). The load deck tilts automatically at 45° for quick and easy unloading.




PAYLOAD AND DIMENSIONS

	FWD	
	SINGLE CAB	DOUBLE CAB
	L2 SRT	L3 SRT
	3.5t	3.5t
Max. payload (kg)	1242	1057
Max. weight on front / rear axle (kg)	1850 / 2100	
Braked / unbraked trailer capacity (kg)	2500 / 750	
Cargo length ext. / int. (mm)	3280 / 3205	3280 / 3205
Cargo width (mm)	2100	
Cargo height (mm)	400	



	RWD		
	SINGLE CAB		SINGLE CAB + TOOLBOX
	L2 SRT	L2 DRT	L3 DRT
	3.5t	3.5t	3.5t
Max. payload (kg)	1129	959	845
Max. weight on front / rear axle (kg)	1850 / 2300	1850 / 2800	1850 / 2800
Braked / unbraked trailer capacity (kg)	2500 / 750		3000 / 750
Cargo length ext. / int. (mm)	3280 / 3205		3180 / 3105
Cargo width (mm)	2100		
Cargo height (mm)	400		

	RWD	
	DOUBLE CAB	
	L3 SRT	L3 DRT
	3.5t	3.5t
Max. payload (kg)	914	850
Max. weight on front / rear axle (kg)	1850 / 2300	1850 / 2800
Braked / unbraked trailer capacity (kg)	2500 / 750	3000 / 750
Cargo length ext. / int. (mm)	3280 / 3205	3180/3130
Cargo width (mm)	2100	
Cargo height (mm)	400	


FRONT WHEEL DRIVE



REAR WHEEL DRIVE



L3 +Toolbox



L3 DRT
L3 SRT

DROPSIDE

Based on a robust chassis, the NV400 Dropside combines a low loading height with fold-down side panels to make light work of even its maximum 3.5 ton Gross Vehicle Weight. Easy, all-round access to the load space makes it easier to handle large, heavy loads, while a choice of single or double cab (2/3 seats or 6/7 seats) further extends its versatility.



PAYLOAD AND DIMENSIONS

	FWD			
	SINGLE CAB		DOUBLE CAB	
	L2 SRT	L3 SRT	L2 SRT	L3 SRT
	3.5t			
Max. payload (kg)	1426	1353	1288	1233
Max. weight on front / rear axle (kg)	1850 / 2100			
Braked / unbraked trailer capacity (kg)	2500 / 750			
Cargo length ext. / int. (mm)	3230 / 3170	3900 / 3840	2480 / 2420	3230 / 3170
Cargo width (mm)	2100			
Cargo height (mm)	400			



	RWD				
	SINGLE CAB				
	L2 SRT	L3 SRT	L2 DRT	L3 DRT	L4 DRT
	3.5t		3.5t		3.5t
	3.5t		3.5t		3.5t
Max. payload (kg)	1214	1210	1112	1061	1020
Max. weight on front / rear axle (kg)	1850 / 2300		1850 / 2800		1850 / 2800
Braked / unbraked trailer capacity (kg)	2500 / 750		3000 / 750		
Cargo length ext. / int. (mm)	3230 / 3170	3900 / 3840	3230 / 3170	3780 / 3720	4430 / 4370
Cargo width (mm)	2100				
Cargo height (mm)	400				

	RWD			
	DOUBLE CAB			
	L2 SRT	L3 SRT	L3 DRT	L4 DRT
	3.5t		3.5t	
Max. payload (kg)	1151	1092	971	877
Max. weight on front / rear axle (kg)	1850 / 2300		1850 / 2800	
Braked / unbraked trailer capacity (kg)	2500 / 750		3000 / 750	
Cargo length ext. / int. (mm)	2480 / 2420	3230 / 3170	3130 / 3070	3780 / 3720
Cargo width (mm)	2100			
Cargo Height (mm)	400			

FRONT WHEEL DRIVE



REAR WHEEL DRIVE




BOX The secure loadcarrier with a choice of capacities, up to 22m³ and 4.5m load length. This large, practical space makes the NV400 Box ideal for removals or other bulky deliveries.

PAYLOAD AND DIMENSIONS


	FWD		RWD	
	L3 20m ³	L3 SRT 20m ³	L4 DRT 20m ³	L4 DRT 22m ³
	3.5t	3.5t	3.5t	3.5t
Max. payload (kg)	1162	1012	834	848
Max. load (m ³)	19.4	19.4	20.3	21.7
Max. weight on front / rear axle (kg)	1850 / 2100	1850 / 2300	1850 / 2800	

	FWD / RWD		
	20m ³ L3	20m ³ L4	22m ³ L4
CARGO AREA (mm)			
Cargo length	4100	4300	4580
Cargo width	2150	2150	2150
Cargo height	2200	2200	2200
REAR DOORS (mm)			
Rear door width	2105	2105	2105
Rear door height	2165	2165	2165

FRONT WHEEL DRIVE



REAR WHEEL DRIVE



FWD



RWD



NV400 LINEUP



won't need to contact any Body builder yourself. Whether you need a Dropside, a Tipper, a Box or a Crew Van, your Business Ready Manager at your nearest Nissan dealer will see your order through, from selection to delivery to ongoing maintenance. **Easy-to-order:** having one point of contact makes life simple, easier and saves your precious time. If you want to tailor the NV400 to your individual requirements you can consult our Nissan dealer for our vast conversion offer performed by one of **Nissan's Certified Partner** Body builders.



▲
DROPSIDE

▲
BOX

5 Year / 160,000 km (whichever comes first) Manufacturer Warranty for the whole LCV range, including Nissan branded conversion models.



ADDED VALUE

CREATE YOUR OWN COMFORT ZONE.

From caring details like leatherette seat covers, protective mats and mudguards to useful additions like a ladder, towbar or roof rack and walkway, not to mention must-have like a rear view camera, Nissan Genuine Accessories make life safer and easier.



1. PROTECTION GRILL
2. FLANGED TOWBAR WITH TEK 7 OR 13 PINS AND WITH HOOK AND BALL (ALSO AVAILABLE WITH COUPLING HOOK OR COUPLING JAW PIN BALL)*
3. SEAT COVERS IN LEATHERETTE (ALSO AVAILABLE IN FABRIC)
4. MUDGUARDS
5. TEXTILE OR RUBBER MATS
6. CROSS BARS
7. ROOF RACK AND WALKWAY
8. LADDER




*Towbar is optional in Van (Combi 5-6 seaters body types) and zero towing capacity in Passenger (8-9 seaters body types).

NV400 VAN ENGINES

The NV400 twin turbo with Start and Stop engine is available in 130HP, 135HP, 145HP, 150HP, 165HP and 180HP versions for FWD and RWD. All meet Euro 6 standards and are available with standard selective catalytic reduction (SCR) system.

TORQUE VS POWER CHART



: TORQUE - : POWER
 DOTTED EU6B (PH1) / PLAIN EU6DTEMP (PH2)

NV400 VAN TECHNICAL SPECIFICATION

ENGINE	6-SPEED MANUAL GEARBOX EURO 6D-TEMP			6-SPEED ROBOTIZED GEARBOX EURO 6D-TEMP	
	135hp	150hp	180hp	150hp	180hp
Wheel drive	FWD	FWD	FWD	FWD	FWD
With Start and Stop Engine	No	Yes	Yes	Yes	Yes
Engine capacity (cm ³)	2 299	2 299	2 299	2 299	2 299
Turbo	Twin Turbo	Twin Turbo	Twin Turbo	Twin Turbo	Twin Turbo
Fuel type	Diesel	Diesel	Diesel	Diesel	Diesel
Max. engine power (KW (hp))	100 (135)	110 (150)	132(180)	110 (150)	132(180)
Max. engine power (rpm)	3 500	3 500	3 500	3 500	3 500
Max. engine torque (Nm)	360	385	400	385	400
Max. engine torque (rpm)	1 500	1 500	1 500	1 500	1 500
CO ₂ - Combined					
CO ₂ - Combined with Stop & Start					
Fuel consumption - Combined					
Fuel consumption - Combined with Stop & Start					
FWD PANEL VAN					
Van FWD L1 H1 2800KG					
Van FWD L1 H1 3300KG					
Van FWD L1 H1 3500KG					
Van FWD L1 H2 2800KG					
Van FWD L1 H2 3300KG					
Van FWD L1 H2 3500KG					
Van FWD L2 H2 3300KG					
Van FWD L2 H3 3300KG					
Van FWD L3 H2 3500KG					
Van FWD L2 H2 3500KG					
Van FWD L2 H3 3500KG					
Van FWD L3 H3 3500KG					
RWD PANEL VAN					
Van RWD L3 H2 3500KG					
Van RWD L3 H3 3500KG					
Van RWD L4 H2 3500KG					
Van RWD L4 H3 3500KG					



SIX-SPEED MANUAL GEARBOX

Available with all NV400 engines.
 The gearbox enhances acceleration in all intermediate gears, while lowering fuel consumption and noise levels.



SIX-SPEED ROBOTIZED GEARBOX

The transmission offers many benefits: it matches individual driving style, is easy to use and is impossible to stall. Auto-adaptive gear changing characteristics ensure the engine always operates in its optimum range.


6-SPEED MANUAL GEARBOX EURO VI		
130hp	145hp	165hp
RWD	FWD/RWD	FWD/RWD
No	Yes	Yes
2 299	2 299	2 299
Twin Turbo	Twin Turbo	Twin Turbo
Diesel	Diesel	Diesel
96(135)	107(145)	125 (170)
3 500	3 500	3 500
330	360	380
1 500	1 500	1 500

	6-SPEED MANUAL GEARBOX EURO 6D-TEMP			6-SPEED ROBOTIZED GEARBOX EURO 6D-TEMP		6-SPEED MANUAL GEARBOX EURO VI		
ENGINE	135HP	150HP	180HP	150HP	180HP	130hp	145hp	165hp
CREW VAN								
Crew Van FWD L1 H1 3300KG								
Crew Van FWD L1 H1 3500KG								
Crew Van FWD L1 H2 3300KG								
Crew Van FWD L1 H2 3500KG								
Crew Van FWD L2 H2 3300KG								
Crew Van FWD L2 H2 3500KG								
Crew Van FWD L3 H2 3500KG								
Crew Van RWD L3 H2 3500KG								
BOX								
Box 20m³ FWD L3 H1 3500KG								
Box 20m³ RWD L3 H1 3500KG								
Box 20m³ RWD L4 H1 3500KG								
Box 22m³ RWD L4 H1 3500KG								
PLATFORM								
Platform FWD L2 H1 3500KG								
Platform FWD L2 H2 3500KG								
Platform FWD L3 H1 3500KG								
Platform FWD L3 H2 3500KG								
CHASSIS SINGLE CAB								
Chassis Cab FWD L2 H1 3500KG								
Chassis Cab FWD L3 H1 3500KG								
Chassis Cab RWD L2 H1 3500KG								
Chassis Cab RWD L3 H1 3500KG								
Chassis Cab RWD L4 H1 3500KG								
CHASSIS DOUBLE CAB								
Chassis Double Cab FWD L2 H1 3500KG								
Chassis Double Cab FWD L3 H1 3500KG								
Chassis Double Cab RWD L2 H1 3500KG								
Chassis Double Cab RWD L3 H1 3500KG								
Chassis Double Cab RWD L4 H1 3500KG								
TIPPER SINGLE CAB								
Tipper Single Cab FWD L2 H1 3500KG								
Tipper Single Cab RWD L2 H1 3500KG								
Tipper Single Cab RWD L3 H1 3500KG								
TIPPER DOUBLE CAB								
Tipper Double Cab FWD L3 H1 3500KG								
Tipper Double Cab RWD L3 H1 3500KG								

NV400 COMBI ENGINES

NV400 Combi is available with four Euro6D-temp compliant engines. Two Manual gearbox Twin Turbo 135HP and 150HP and two robotized gearbox Twin Turbo 150HP and 180HP.

TORQUE VS POWER CHART



: TORQUE - : POWER
 DOTTED EU6B (PH1) / PLAIN EU6DTEMP (PH2)

NV400 COMBI TECHNICAL SPECIFICATION

ENGINE	6-SPEED MANUAL GEARBOX EURO 6D-TEMP		6-SPEED ROBOTIZED GEARBOX EURO 6D-TEMP	
	135HP	150HP	150HP	180HP
Wheel drive	FWD	FWD	FWD	FWD
With Start and Stop Engine	No	Yes	Yes	Yes
Engine capacity (cm ³)	2 299	2 299	2 299	2 299
Turbo	Twin Turbo	Twin Turbo	Twin Turbo	Twin Turbo
Fuel type	Diesel	Diesel	Diesel	Diesel
Max. engine power (KW (hp))	100 (135)	110 (150)	110 (150)	132(180)
Max. engine power (rpm)	3 500	3 500	3 500	3 500
Max. engine torque (Nm)	360	385	385	400
Max. engine torque (rpm)	1 500	1 500	1 500	1 500
CO ₂ - Combined				
CO ₂ - Combined with Stop & Start				
Fuel consumption - Combined				
Fuel consumption - Combined with Stop & Start				
COMBI				
Combi FWD L1 H1 2800KG				
Combi FWD L1 H1 3300KG				
Combi FWD L2 H2 3300KG				
Combi FWD L2 H2 3500KG				



SIX-SPEED MANUAL GEARBOX

Available with all NV400 engines.

The gearbox enhances acceleration in all intermediate gears, while lowering fuel consumption and noise levels.




SIX-SPEED ROBOTIZED GEARBOX

The transmission offers many benefits: it matches individual driving style, is easy to use and is impossible to stall. Auto-adaptive gear changing characteristics ensure the engine always operates in its optimum range.


NV400 COMBI FUEL EFFICIENCY

MANUAL TRANSMISSION 135HP: 100kW / 360Nm - 2WD



TECHNICAL EXPLANATION:
TORQUE: 360Nm AT 1500RPM
POWER: 100kW AT 3500RPM

MANUAL TRANSMISSION 150HP: 110kW / 385Nm - 2WD



TECHNICAL EXPLANATION:
TORQUE: 385Nm AT 1500RPM
POWER: 110kW AT 3500RPM

FRONT WHEEL DRIVE PANEL VAN

Front Wheel Drive NV400 delivers what your business needs: greater efficiency. A lower kerb weight helps improve fuel economy, reducing your running costs. The low frame height makes loading easier and means there's more space inside, for a bigger payload. It's the Van that gives you more, but demands less.

WEIGHTS AND LOADS

	Max. cargo volume (m ³)	Max. payload (kg)		
		2.8t	3.3t	3.5t
L1H1	7,8	923	1423	1623
L1H2	8,6	901	1401	1601
Max. weight on front / rear axle		1850 / 1650	1850 / 2100	1850 / 2100
Braked / unbraked trailer capacity		2500 / 750		

	Max. cargo volume (m ³)	Max. payload (kg)	
		3.3t	3.5t
L2H2	10,3	1329	1529
L2H3	11,7	1304	1504
Max. weight on front / rear axle		1850 / 2100	1850 / 2100
Braked / unbraked trailer capacity		2500 / 750	

	Max. cargo volume (m ³)	Max. payload (kg)
		3.5t
L3H2	12,5	1434
L3H3	14,1	1427
Max. weight on front / rear axle		1850 / 2100
Braked / unbraked trailer capacity		2500 / 750

DIMENSIONS (mm)

	L1H1	L1H2	L2H2	L2H3	L3H2	L3H3
Min. turning circle between kerbs / walls	12 / 12.5m		13.6 / 14.1m		15.7 / 16.2m	

CARGO AREA



	L1H1	L1H2	L2H2	L2H3	L3H2	L3H3
Cargo length on floor (A)	2583	2583	3083	3083	3733	3733
Cargo length at 1.1m above floor	2530	2530	3030	3030	3680	3680
Cargo width (B)	1765	1765	1765	1765	1765	1765
Width between wheelarches (C)	1380	1380	1380	1380	1380	1380
Cargo height	1700	1894	1894	2144	1894	2144
Min. / max. loading sill height	546 / 564	544 / 563	545 / 562	543 / 556	543 / 557	542 / 555

SLIDING DOORS

	L1H1	L1H2	L2H2	L2H3	L3H2	L3H3
Sliding door width	1050	1050	1270	1270	1270	1270
Sliding door height	1581	1780	1780	1780	1780	1780

REAR DOOR

	L1H1	L1H2	L2H2	L2H3	L3H2	L3H3
Rear door width at 169mm above floor	1580	1580	1580	1580	1580	1580
Rear door height	1627	1820	1820	1820	1820	1820




REAR WHEEL DRIVE PANEL VAN

Rear Wheel Drive NV400 offers practical versatility, with the capacity and strength to handle all your medium duty carrying applications. Its Rear Wheel Drive layout creates optimum front-to-rear balance, for better payload distribution. It also ensures surefooted and stable driving characteristics when fully loaded, and makes it ideally suited for towing.

WEIGHTS AND LOADS


	Max. cargo volume (m ³)	Max. payload (kg)	
		3.5t SRT	3.5t DRT
L3H2	11,6	1207	1151
L3H3	13,5	1189	1128
Max. weight on front / rear axle		1850 / 2300	1850 / 2800
Braked / unbraked trailer capacity		2500 / 750	3000 / 750

	Max. cargo volume (m ³)	Max. payload (kg)	
		3.5t DRT	3.5t DRT
L4H2	14,9	1207	1111
L4H3	17,0	1160	1040
Max. weight on front / rear axle		1850 / 2300	1850 / 2800
Braked / unbraked trailer capacity		2500 / 750	3500 / 750



DIMENSIONS (mm)

		L3H2 SRT	L3H2 DRT	L3H3 SRT	L3H3 DRT	L4H2 DRT	L4H3 DRT
		3.5t	4.5t	3.5t	4.5t	3.5t/4.5t	
Min. turning circle between kerbs / walls		12.4		14.2		14.9	17
Max. Turning circle (Wall to wall)	m	14.1	14.1	14.1	14.1	16.2	16.2
Min. Turning Circle (Kerb to Kerb)	m	13.6	13.6	13.6	13.6	15.7	15.7
CARGO AREA							
Cargo length on floor (A)		3733	3733	3733	3733	4383	4383
Cargo length at 1.1m above floor		3680	3680	3680	3680	4330	4330
Cargo width (B)		1765	1765	1765	1765	1765	1765
Width between wheelarches (C)		1380	1080	1380	1080	1080	1080
Cargo height		1798	1798	2048	2048	1798	2048
Min. / max. loading sill height		674 / 696	706 / 724	672 / 694	704 / 723	701 / 717	700 / 715
SLIDING DOORS							
Sliding door width		1270	1270	1270	1270	1270	1270
Sliding door height		1684	1684	1684	1684	1684	1684
REAR DOOR							
Rear door width at 169mm above floor		1580	1580	1580	1580	1580	1580
Rear door height		1724	1724	1724	1724	1724	1724



- SRT: Single Rear Tyres
- DRT: Double Rear Tyres

COMBI

Smart, inviting and adaptable, NV400 Combi carries up to nine people in car-like comfort, or a combination of six people plus greater load space. All occupants enjoy space, comfort and the reassurance of a comprehensive range of active and passive safety features.

WEIGHTS AND LOADS (kg)


	L1H1	L2H2			
	5/6	5-6 seats		8-9 seats	
	3.3T	3.3T	3.5T	3.3T	3.5T
Max Payload	1229	1141	1341	1075	1275
Max Weight on front/rear axle	1850 / 2100	1850 / 2100	1850 / 2100	1850 / 2100	1850 / 2100
Kerb weight (without driver)	2071	2159	2159	2255	2255
Braked/unbraked trailer capacity	2500 / 750	2500 / 750	2500 / 750	2500 / 750	2500 / 750

DIMENSIONS (mm)

	L1H1	L2H2
Min. turning circle between kerbs / walls	12 / 12.5m	13.6 / 14.1m
CARGO AREA		
Length for 6/9 seats	1757 / 948	2257 / 1448
Max. width	1765	1765
Max. loading height	1700	1894
Width between wheelarches	1380	1380
Min. / max. loading sill height	546 / 560	544 / 559* 547 / 563**
Approx. load volume 6/9 seats	5.3m ³ / 2.8m ³	7.5m ³ / 4.8m ³
SLIDING DOORS		
Sliding door height	1581	1780
Sliding door width	1050	1270
REAR DOOR		
Rear door height	1627	1820
Rear door width	1580	1580

* for 3.3t Gross Vehicle Weight

** for 3.5t Gross Vehicle Weight



PLATFORM CAB

With its very low loading sill and over 7m of buildable overall length, NV400 Platform Cab has impressive potential as the perfect base for a vast array of conversions, such as ambulance, catering vehicle or mobile shop.

WEIGHTS AND LOADS (kg)



	FWD WITH GVW* OF 3.5T			
	L2H1	L2H2	L3H1	L3H2
Max. payload	1846	1833	1825	1806
Max. weight on front / rear axle	1850/ 2100			
Braked / unbraked trailer capacity	2500/750			

DIMENSIONS (mm)

	L2H1	L2H2	L3H1	L3H2
	Min. turning circle between kerbs / walls	13.6 / 14.1m	13.6 / 14.1m	15.7 / 16.2m
Max. buildable length	5751	5790	7021	7071
Min. / max. overall length	3069 / 3291	3069 / 3330	3719 / 4561	3719 / 4610
Max. buildable extension of rear overhang	1227	1266	1847	1897
Min. / max. ground clearance	581 / 585	581 / 584	579 / 583	579 / 583
Buildable width including standard / extended door mirrors arms	2170 / 2350	2170 / 2350	2170 / 2350	2170 / 2350

* GVW: Gross Vehicle Weight

**With extended door mirror arms



FRONT WHEEL DRIVE CHASSIS SINGLE/DOUBLE CAB

NV400 Chassis Cab offers the flexibility and adaptability to satisfy your exact specifications. Whichever drive train you choose, you benefit from a low chassis floor that provides more usable space for your conversion, within compact and manageable overall dimensions. And the rugged build quality ensures it has the strength to cope with the toughest jobs, all day, every day.

WEIGHTS AND LOADS (kg)

	SINGLE CAB		DOUBLE CAB	
	L2	L3	L2	L3
	3.5T	3.5T	3.5T	3.5T
Max. payload	1739	1718	1554	1546
Max. weight on front / rear axle	1850 / 2100			
Braked / unbraked trailer capacity	2500 / 750			



DIMENSIONS (mm)

	SINGLE CAB		DOUBLE CAB	
	L2	L3	L2	L3
Min. turning circle between kerbs / walls	13.6 / 14.1m	15.7 / 16.2m	13.6 / 14.1m	15.7 / 16.2m
Max. extension of rear overhang	1400	2124	1119	2078
Max. buildable overall length	5924	7298	5643	7252
Min. / max. buildable cargo length	3182 / 3464	3832 / 4838	2432 / 2432	3082 / 4042
Min. / max. ground clearance	735 / 740	736 / 741	727 / 732	731 / 736
Buildable width including standard / extended door mirrors arms	2170 / 2350	2170 / 2350	2170 / 2350	2170 / 2350

- SRT: Single Rear Tyres

- DRT: Double Rear Tyres

*With extended door mirror arms



REAR WHEEL DRIVE CHASSIS SINGLE/DOUBLE CAB

WEIGHTS AND LOADS (kg)



	SINGLE CAB			
	L2		L3	L4
	3.5T SRT	3.5T DRT	3.5T SRT	3.5T DRT
Max. payload	1626	1445	1575	1430
Max. weight on front / rear axle	1850 / 2300	1850 / 2620	1850 / 2300	1850 / 2800
Braked / unbraked trailer capacity	2500 / 750	3000 / 750	2500 / 750	3000 / 750

	DOUBLE CAB		
	L2	L3	L4
	3.5T SRT	3.5T SRT	3.5T DRT
Max. payload	1417	1405	1231
Max. weight on front / rear axle	1850 / 2300		1850 / 2800
Braked / unbraked trailer capacity	3500 / 750		

DIMENSIONS (mm)

	SINGLE CAB				
	L2 SRT	L2 DRT	L3 SRT	L3 DRT	L4 DRT
Min. turning circle between kerbs / walls	13.6 / 14.1m				
Max. extension of rear overhang	2230	1928	3032	1928	2754
Max. buildable overall length	6754	6452	8206	6452	7928
Min. / max. buildable cargo length	3182 / 4293	3639 / 3991	3832 / 5746	3639 / 3991	4289 / 5468
Min. / max. ground clearance	771 / 774	784 / 787	771 / 775	784 / 787	786 / 789
Buildable width including standard / extended door mirrors arms	2170 / 2350	2170 / 2350	2170 / 2350	2170 / 2350	2170 / 2350

	DOUBLE CAB			
	L2 SRT	L3 SRT	L3 DRT	L4 DRT
Min. turning circle between kerbs / walls	13.6 / 14.1m	15.7 / 16.2m	13.6 / 14.1m	15.7 / 16.2m
Max. extension of rear overhang	1917	3032	1669	2471
Max. buildable overall length	6441	8206	6193	7645
Min. / max. buildable cargo length	2432 / 3230	3082 / 4996	2889 / 2889	3539 / 4434
Min. / max. ground clearance	760 / 764	765 / 768	775 / 780	778 / 781
Buildable width including standard / extended door mirrors arms	2170 / 2350	2170 / 2350	2170 / 2350	2170 / 2350



- SRT: Single Rear Tyres
- DRT: Double Rear Tyres
*With extended door mirror arms

COLOURS



MINERAL WHITE (S)
QNG



LEMON YELLOW (S)
YLE



ORANGE (S)
Z48



CHERRY RED (S)
Z52



BLUE BC (S)
B23



VOLGA BLUE (S)
VBL



STAR GREY (M)
KNH



BLUE GREY (M)
J47



BLACK (M)
Z11



ASH GREY (M)
GRU

S: SOLID
M: METALLIC

TRIMS



DARK GREY
STANDARD AND ENTRY GRADES

WHEELS



LARGE WHEEL COVERS

GRADES

PANEL VAN

STANDARD EQUIPMENT

- 100 Litre Fuel Tank
- Drivers Airbag
- ABS & EBD
- Hill Start Assist
- Immobiliser
- Spare Wheel and Basket
- Deadlocking
- Remote Central Locking
- Wide View Mirror
- Rear Parking Sensors
- Radio with Bluetooth Connectivity
- AUX & USB Port
- 2 X 12V Sockets
- On Board Computer
- Gear Shift Indicator
- Idle Stop/Start (135HP only)
- Front Power Windows
- 3.5" TFT Display
- Front Fog Lights
- Load Area Lights
- Headlight Adjustment
- 2 Way Adjust able Drivers Seat
- Front Passenger Bench with Laptop Holder
- Multifunction Steering Wheel
- Interior Dash Illumination Adjustment
- 2 Cup Holders
- Sunglasses Holder
- Storage pockets in doors and cabin
- Dash Mounted Clipboard
- Bulkhead with Coat Hangers
- 12 Cargo Hooks
- 16" Steel Wheels
- Black Front Bumper
- Black Door Handles and Mirrors
- Electric adjustable Wing Mirrors
- New Front face with chrome grille
- Full Wheel Covers
- Front and Rear Mudflaps
- Rear Bumper step on RWD Versions
- 270 Degree Rear Opening Doors

OPTIONS

- Air Conditioning
- 2nd Sliding Door
- Diff Lock for RWD Version
- Automatic Lights
- Passenger & Side Airbag

MULTIMEDIA UNIT**

- Multimedia Unit - 7" Touch Screen, Sat Nav, Android Auto & Apple CarPlay

CONVENIENCE PACK

- Rear Camera*
- i-Key
- Trip Computer
- Cruise Control
- One touch Driver Side Window
- Under Seat Storage (Passenger side)
- Driver Lumbar Support & Armrest

*Deletes Rear Parking Sensors

**Deletes Dash Mounted Clipboard

Optional features are subject to Local Market Availability

NISSAN LCV 5 YEAR MANUFACTURER WARRANTY

NISSAN now offers a standard 5 Year Pan-European Manufacturer Warranty on its whole LCV range*. This is much more than just a warranty as it includes:



- 5 Year or 160,000 KM bumper-to-bumper protection
- 5 Year Paintwork Warranty – covering the body paint
- 5 Year NISSAN Genuine Parts & Accessories Warranty
- 5 Year Roadside Assistance
- 6 Year Corrosion Warranty on NV400
- Fully transferable

And with service intervals at 2 Years or 40,000 KM for Diesel & Petrol engines, you'll not only have 5 years' peace of mind but also low running costs into the bargain.



AT NISSAN, YOU BRING OUT THE BEST IN US.

You spark our imagination. You provoke our ingenuity. You inspire us to change the rules and innovate. And at Nissan, innovation is not just about additions and extensions; it's about crossing the line to reinvent the status quo. It's about developing unexpected solutions to satisfy your wildest and most pragmatic desires. At Nissan, we design vehicles, accessories and services that break the mould - making the practical exciting and the exciting practical to offer you a more exhilarating driving experience everyday.

*5 Year / 160,000 KM (whichever comes first) Manufacturer Warranty for the LCV range
For more details, please refer to Nissan Warranty Booklet.

CUSTOMER SERVICES



SPECIALISED LCV NETWORK

NISSAN provides a specialised network of LCV dealerships to support your specific commercial vehicle requirements:

- Pan-European coverage
- Dedicated LCV Sales & After Sales staff
- Competitive financing solutions
- Tailor made conversion offers
- Competitive extended warranty offers to go even beyond NISSAN LCV 5 Year Warranty.
- Test drive your choice



AFTERSALES SERVICES

If your car breaks down, it's inconvenient. If your van breaks down, it's a serious blow to your business. Even time allowed for servicing is downtime, when your van isn't earning its keep. At Nissan, we understand these hard business facts. So we do the best to ensure that your van stays where it belongs – working for you, on the road.



NISSAN SERVICE CONTRACTS AND EXTENDED WARRANTY

For total peace of mind and budget control, you can subscribe to a Nissan Service Contract which will cover your periodic maintenance and Wear & Tear parts for the mileage and period that suits your business best. This way, you can ensure that your NV400 is serviced by dedicated Nissan technicians. And for even more serenity, you can get an Extended Warranty to cover possible mechanical and electrical breakdown after the end of your NV400 warranty.



5 YEAR ROADSIDE ASSISTANCE

- Pan-European coverage for breakdowns, accidents, non-warrantable incidents (such as flat tyres, lost keys, wrong fuel...)
- 24/7, 365 days
- Emergency Call Centre
- Prompt roadside assistance

If this is not possible and your vehicle is still immobilised after a few hours, we will make sure you are provided with a courtesy vehicle as soon as possible or if necessary, overnight accommodation and travel to your onward destination or back to your base. We will also recover your immobilised vehicle.

visit our website at: www.nissan.ie/nv400

Follow Nissan LCV on:



***5 Year / 160,000 KM (whatever comes first) Manufacturer Warranty for the LCV range**

Every effort has been made to ensure that the content of this publication is correct at the time of going to press (September 2020). This brochure has been produced featuring prototype vehicles exhibited at motor shows. In accordance with the company's policy of continuously improving its products, Nissan International reserves the right to change at any time the specification and the vehicles described and shown in this publication. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. Because of the limitations of the printing processes used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim materials used. All rights reserved. Reproduction in whole or part of this brochure without the written permission of Nissan International is forbidden.

Dealer stamp: